

	Hits	Search Text	DBs
1	25	S14 and compil\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	S14 and (java with compil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	274	(null\$5 with variable\$1) and (variable\$1 with last) and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	S17 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	S14 and garbage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	2	S13 and ((just\$1in\$1time or jit) with compil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	5	S13 and (java with compil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	22	S13 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	0	S17 and garbage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	53	(null\$5 with variable\$1) and ((last or (most adj recent) or preceding) with (used or usage\$1 or utilized or exploited or applied) with variable\$1) and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S14 and ((just\$1in\$1time or jit) with compil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	S1 and (variable\$1 with last)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	9	S13 and garbage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	2	((just\$1in\$1time or jit) with compil\$4) and (null\$5 with variable\$1) and (variable\$1 with last) and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	S4 and last	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	4	((("5652883") or ("6047125") or ("6260190") or ("6327701"))).PN.	USPAT
17	0	S3 and ((last or (most adj recent)) with (used or usage\$1 or utilized or exploited or applied))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	S4 and ((last or (most adj recent)) with (used or usage\$1 or utilized or exploited or applied))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	10	S3 and (garbage\$1 near7 collect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	1	S3 and ((last or (most adj recent) or preceding) with (used or usage\$1 or utilized or exploited or applied))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	19	((just\$1in\$1time or jit) near5 compil\$4) and (automatic\$5 or periodic\$5 or dynamic\$5) and (null\$5 near9 variable\$1) and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	((just\$1in\$1time or jit) near5 compil\$4) and ((automatic\$5 or periodic\$5 or dynamic\$5) with (null\$5 near9 variable\$1)) and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	20	((just\$1in\$1time or jit) near5 compil\$4) and (null\$5 near9 variable\$1) and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	1	S10 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	0	6 and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2	writ\$4 same ((activation near2 records) or (stack near2 frames)) same (statement\$1 or code or instruction\$1) same (null\$ or nullification\$1) same file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	691	resulting with code with file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	482	8 and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	346	(resulting near9 code near9 file\$1) and @ad < "20030702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	11 and garbage\$1 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	7	10 and ((just\$1in\$1time or jit) with compil\$4) and null\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB